

**WEEM** ABRASIVES


威鸣研磨

# 涂附磨具产品目录


PROFESSIONAL COATED ABRASIVE  
PRODUCT CATALOGUE



**WEEM** 威鸣研磨  
ABRASIVES



International website



中文网站

[www.weem-abrasives.com](http://www.weem-abrasives.com)

[联系我们](#)

[Contact Us](#)

## 目录 Content

关于我们 COMPANY PROFILE	1
技术说明 TECHNICAL INFORMATION	4
砂纸产品 PAPER ABRASIVES	5
砂布产品 CLOTH ABRASIVES	7
多方向砂布产品 SEGMENTED BELT READY CLOTH BACKING ABRASIVES	11
金属材料表面处理 ABRASIVES FOR METAL SURFACE	13
硬金属打磨 ZIRCONIA CLOTH ABRASIVES	14
钢纸基产品 VULCANISED FIBRE ABRASIVES	15
配件 ACCESSORIES	16





## 关于我们

威鸣研磨是一家涂附磨具研发、生产及服务集一体的制造商。威鸣研磨于1994年创立，并拥有及经营“WEEM®”品牌产品。涵盖从事砂布、砂纸的大卷、砂带以及砂碟等磨具产品的生产及销售。威鸣研磨是国内最早引进进口砂带转接设备的民营企业，经过产业升级生产涂附磨具大卷。在国内生产高端工业宽砂带、超宽砂带的企业；拥有市级砂带研发工程中心，是国家高新技术企业。通过自己技术能力先后研发针对木工打磨，通用打磨，金属打磨各类涂附磨具产品。

威鸣研磨依靠自身的努力和发展，从下游加工技术升级至上游生产的一家自强不息的民营企业。威鸣研磨起源广东，并在全国板材行业最发达的地区深耕。以优质的服务，过硬的技术强势进驻国内大型板材企业主要的供应商。

## About Us

WEEM Abrasives is a professional coated abrasives manufacturer local in the south of China. We are found in 1994, started as a trader, then setting up the segmented sanding belt converting facility. We keep learning and growing, finally step up as a coated abrasive manufacturer. We provide jumbo rolls, belts, rolls, discs, and customize abrasives for special needs for the use in sanding, grinding, blending, and finishing applications. The combination of several minerals, resin systems, and backings results in a wide variety of products to meets your needs. Available as: Aluminium oxide, Silicon carbide, Zirconia, Ceramic, etc.

We also provide in-field adviser, who have rich experience in sanding, to help the client deal with problems on sanding, or getting better




## 设备

源于对品质的追求威鸣研磨在设备投入上，特别是重型砂纸、砂布制造线中关乎产品质量的头胶和植砂工序，引进国际一流的意大利砂纸、砂布设备制造商G.T. Engineering的设备，使产品品质得到保证。还投入过百万的资金引进了生产质量在线监测系统。

## Equipment

The leading coat abrasive production line and technology from Europ ensure the best quality of sanding jumbo rolls. The abrasive backing process line and German base abrasive making technology are in place to enhance the quality and stability of our abrasive cloth backings.



## 原材料

源于威鸣研磨成长经历，深知原材料品质对产品性能和质量有巨大影响。秉承高品质产品生产工艺技术要求，严格筛选供应商，采用高品质且质量稳定的国内、外原辅材料。

## Raw Materials

Our careful selection of premium materials, leading manufacturing equipment and sophisticated production technologies enable us to manufacture top quality coated abrasive.



## 质量控制

为保证高品质产品的质量控制要求，投入采购了一系列的研发设备，检验设备。并重视引进国内外先进涂附研磨设备、技术及管理。不但引进质量在线监测系统把关产品质量，还通过了ISO9001质量管理体系认证。

## Quality Control

We keep quality control in mind and have ISO 9001 certified. Installed quality inspect the equipment, such as online quality inspection detector, grinding test inspector, cloth strength inspector, etc, are also in place for quality guarantee.





■ **转换加工**

国内最早引进的意大利Biko Meccanics公司的整套转换设备。并采用德国标准化的砂带拨接技术转换砂带，是国内最早转换超宽幅研磨砂带的供应商之一。

■ **Converting**

Full set of Biko Meccanics sanding belt converting facilities, Sheldehl tapes and Buyer glue are in place to provide best belt joints. Producing high quality wide belts and segmented belts, up to 3300mm width by 4000mm endless.





# 技术说明 Technical Information




## 产品类 Product type

涂附磨具大卷 / 砂卷 Sanding jumbo roll Sanding roll	
圆盘磨片 Sanding disc	
窄带 / 长带 Narrow belt Long belt	
宽砂带 / 超宽砂带 Wide belt Segmented belt	

## 砂带接头型 Joint shape for belt

<p>直线对接 Line shape</p> <p>默认砂带对接方式 Available for all belts</p>	
<p>S型对接 S-line shape</p> <p>超宽带除外 Non-available for segmented belt</p>	

## 砂带接头方式 Joint type for belt

<p>胶条砂面接 Tape on gain</p>	
<p>胶条背面接 Tape on Backing</p>	
<p>搭接 Overlap</p>	



**砂纸产品 PAPER ABRASIVES**

**2025 E级重磅纸棕刚玉 ALO E-PAPER ABRASIVE**

磨料 Grain	棕刚玉 / Aluminium oxide	结合剂 Bonding	树脂 / Resin over Resin
基材 Backing	E级250g重磅纸 / E weight paper	植砂密度 Coating	半疏植砂 / Semi open
大卷宽度 Jumbo width	1400mm / 1650mm	处理 Treatment	抗静电 / Antistatic
		砂带宽度 Sanding belt width	最大 up to max 3300mm

**产品特点 Application**

- 磨削效率高，性价比好，使用范围广 / For general purpose, Available from disc to narrow belt, up to segmented wide belt.

**粒度范围 Grit range**

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400	P500	P600
供应 Available	N/A	N/A	N/A	N/A	●	●	●	●	●	●	●	●	○	●	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



**2028 E级重磅纸半脆刚玉 SFA E-PAPER ABRASIVE**

**NEW**

磨料 Grain	半脆刚玉 / Semi Friable Alumina	结合剂 Bonding	树脂 / Resin over Resin
基材 Backing	F级270g重磅纸 / E weight paper	植砂密度 Coating	半疏植砂 / Semi open
大卷宽度 Jumbo width	1400mm / 1650mm	处理 Treatment	抗静电 / Antistatic
		砂带宽度 Sanding belt width	最大 up to max 3300mm

**产品特点 Application**

- 磨削锋利、效率高，抗静电、不易堵塞 / Sharp, durable gains on strong paper backing, anti-clogging, good life, for common use, Available from disc to narrow belt, up to segmented wide belt.

**粒度范围 Grit range**

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400	P500	P600
供应 Available	N/A	N/A	N/A	N/A	●	●	●	●	●	●	●	●	○	●	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type







砂纸产品 PAPER ABRASIVES

1026 F级重磅纸碳化硅 SIC F-PAPER ABRASIVE

磨料 Grain	碳化硅/ Silicon Carbide	结合剂 Bonding	树脂 / Resin over Resin
基材 Backing	F级270g重磅纸 / F-weight paper	植砂密度 Coating	半疏植砂 / Semi open
大卷宽度 Jumbo width	1400mm / 1650mm	处理 Treatment	抗静电 / Antistatic
		砂带宽度 Sanding belt width	最大 up to max 3300mm

产品特点 Application

- 磨削效率高，性价比好，使用范围广，用于家具、大理石、竹木、实木地板抛光 / For general purpose, from woodworking to stone, and to leather, floor sanding etc. Available from disc to narrow belt, up to segmented wide belt.

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400	P500	P600
供应 Available	N/A	N/A	○	○	●	●	●	●	●	●	●	●	○	●	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



## 砂布产品 CLOTH ABRASIVES

### 3126 Y级聚酯布锆刚玉 ZA Y-CLOTH ABRASIVE for PANEL

磨料 Grain 锆刚玉 / Zirconia for panel 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing 重Y级纯聚酯布 / Heavy Y weight polyester 植砂密度 Coating 密植砂 / Close Coated  
 处理 Treatment 抗静电 / Antistatic  
 大卷宽度 Jumbo width 1400mm 砂带宽度 Sanding belt width 最大 up to max 1380mm

#### 产品特点 Application

- 尤其适用于有回收粉的板材粗磨，脱砂少，寿命长，用于木材、普通金属、实木地板打磨，防火板、防潮板的粗、中定厚及抛光 / Durable waterproof heavy duty backing, suitable for panel sander, specially working well with dust recycle process, also suitable for steel grinding, floor sanding etc.

#### 粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	●	●	○	●	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



### 2114 XY级聚酯布棕刚玉 ALO XY-CLOTH ABRASIVE

磨料 Grain 棕刚玉 / Aluminium oxide 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing XY级聚酯布 / XY weight polyester 植砂密度 Coating 密植砂 / Close Coated  
 背基颜色 Backing color 黑色 Black / 红色 Red 砂面颜色 Grit color 黑色 Black / 红色 Red  
 大卷宽度 Jumbo width 1400mm 砂带宽度 Sanding belt width 最大 up to max 1380mm

#### 产品特点 Application

- 适合宽砂带以及窄砂带制作，适用范围广，性价比高，用于胶合板、木材、普通金属 / General product, widely use as wide belt narrow belt, from woodworking to stone, to metal sanding etc.

#### 粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	N/A	○	○	○	●	●	●	●	●	●	●	●	○	●	○

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



### 2115 XY级聚酯布煅烧棕刚玉 FA XY-CLOTH ABRASIVE

磨料 Grain 煅烧氧化铝 / Fused Alumina 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing XY级聚酯布 / XY weight polyester 植砂密度 Coating 密植砂 / Close Coated  
 背基颜色 Backing color 黄色 / Yellow 砂面颜色 Grit color 红色 Red  
 大卷宽度 Jumbo width 1400mm 砂带宽度 Sanding belt width 最大 up to max 1380mm

#### 产品特点 Application

- 磨料锋利，适合宽砂带以及窄砂带制作，适用范围广，用于胶合板木材、硬木、普通金属打磨 / Fused alumina coated blue or red, sharp and hard good with plywood, hard wood sanding, also can be sue on metal sanding etc.

#### 粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	○	●	○	●	●	●	○	○	○	○	○	○	○	○

● 常规供货 Available

○ 定制 On demand

**即将推出**  
Coming soon



产品形态 Available product type









**碳化硅砂布产品 CLOTH ABRASIVES**

**1125 XY级聚酯布碳化硅 SIC XY-CLOTH ABRASIVE**

磨料 Grain	碳化硅 / Silicon Carbide	结合剂 Bonding	树脂 / Resin over Resin
基材 Backing	XY级纯聚酯布 / XY weight polyester	植砂密度 Coating	密植砂 / Close Coated
背基颜色 Backing color	黑色 Black / 红色 Red		
大卷宽度 Jumbo width	1400mm	砂带宽度 Sanding belt width	最大 up to max 1380mm

**产品特点 Application**

- 背基硬挺度适中, 适用范围广, 磨削效率高、性价比高。适用于胶合板、中低密度板、玻璃、一般金属打磨等 / Tear-resistant and stiff polyester backing for pressure sanding, good grinding, works good on plywood, and for board sanding, glass sanding etc.

**粒度范围 Grit range**

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	●	●	●	○	●	●	●	●	●	●	●	●	○	○	○

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type





## 碳化硅砂布产品 CLOTH ABRASIVES

## 1126 Y级聚酯布碳化硅 SIC Y-CLOTH ABRASIVE

磨料 Grain 碳化硅 / Silicon Carbide

结合剂 Bonding

树脂 / Resin over Resin

基材 Backing Y级纯聚酯布 / Y weight polyester

植砂密度 Coating

密植砂 / Close Coated

处理 Treatment

抗静电 / Antistatic

大卷宽度 Jumbo width 1400mm

砂带宽度 Sanding belt width

最大 up to max 1380mm

## 产品特点 Application

- 布基硬挺, 适用范围广, 寿命好, 适用于刨花板、中高密度板、铝合金、玻璃、陶瓷、橡胶等 / Standard durable stiffness polyester abrasive, efficient grinding in woodworking, can be widely use on MDF/HDF, OSB board sanding, and glass sanding, etc.

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	●	●	○	●	●	●	●	●	●	●	○	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



## 1127 重Y级聚酯布碳化硅 SIC Y-CLOTH ABRASIVE

磨料 Grain 精选碳化硅 / Premium Silicon Carbide

结合剂 Bonding

树脂 / Resin over Resin

基材 Backing 重Y级纯聚酯布 / Heavy Y weight polyester

植砂密度 Coating

密植砂 / Close Coated

处理 Treatment

抗静电 / Antistatic

大卷宽度 Jumbo width 1400mm

砂带宽度 Sanding belt width

最大 up to max 1380mm

## 产品特点 Application

- 厚重型聚酯布基, 硬挺度高, 抗冲击力好, 寿命长。适用于中高密度板、刨花板, 铝合金、大理石等 / Highly tear-resistant and stiff polyester backing for high sanding pressure for MDF/HDF, OSB and particle board sanding, glass, marble stone, alloy sanding etc.

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	○	○	○	○	○	●	●	●	●	●	○	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



**多方向砂布产品 CLOTH ABRASIVES**

**1128 YY级聚酯布碳化硅 SIC YY-CLOTH ABRASIVE**

**超宽带 Segmented Belt**

磨料 Grain 碳化硅 / Silicon Carbide 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing YY级纯聚酯布 / YY weight polyester 植砂密度 Coating 密植砂 / Close Coated  
 处理 Treatment 抗静电 / Antistatic  
 大卷宽度 Jumbo width 1400mm / 1600mm 砂带宽度 Sanding belt width 最大 up to max 3300mm

**产品特点 Application**

● 基本硬挺度高，平整型好，纬向延伸率小，寿命好。适用于超宽砂带制作，中高密度板、刨花板、不锈钢板、橡胶板的粗中细定厚及抛光 / Made with durable, tear-resistant polyester cloth backing for high sanding pressure, good lifetime at the same time efficient grinding, use for board/panel sanding, glass sanding etc.

**粒度范围 Grit range**


粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	●	●	○	●	●	●	●	●	●	●	○	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand




产品形态 Available product type



采用德国标准化的砂带拨接技术，转接超宽砂带。最大宽度可达3300mm  
 Segmented belts can be made maximum width up to 3300mm





**多方向砂布产品 CLOTH ABRASIVES**

**1129 重YY级聚酯布碳化硅 SIC YY-CLOTH ABRASIVE**

**超宽带 Segmented Belt**

磨料 Grain 精选碳化硅 / Premium Silicon Carbide 结合剂 Bonding 树脂 / Resin over Resin

基材 Backing 进口YY级纯聚酯布 / YY weight polyester 植砂密度 Coating 密植砂 / Close Coated

处理 Treatment 抗静电 / Antistatic

大卷宽度 Jumbo width 1600mm

砂带宽度 Sanding belt width 最大 up to max 3300mm

**产品特点 Application**

● 采用进口重布基，并配合特殊布处理工艺使基体柔韧且硬挺度高，抗冲击性好，平整型好，寿命长。适用于超宽砂带制作，中高密度板、刨花板、不锈钢板、橡胶板的粗中细定厚及抛光 / It is top of the line product for man-made board sanding need. special treatment of the abrasive backing provide durable, and selected premium silicon carbide gains, all make it efficient grinding and very long lifetime, can be widely use on board/panel sanding, glass sanding etc. Sepcial designed to meet the segmented belt needs.

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	○	○	○	●	●	●	●	●	●	●	○	N/A	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



**金属材料表面处理 ABRASIVES FOR METAL SURFACE**

**1112 XY级聚酯布碳化硅 SIC XY-CLOTH ABRASIVE FOR STEEL *Coming soon***

磨料 Grain 碳化硅 / Silicon Carbide 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing XY级纯聚酯布 / XY weight polyester 植砂密度 Coating 密植砂 / Close Coated  
 处理 Treatment 表面平整处理 / Flatten  
 大卷宽度 Jumbo width 1400mm 砂带宽度 Sanding belt width 最大 up to max 1380mm

**产品特点 Application**

- 基体强度高，耐水耐油，性价比高，用于不锈钢拉丝，一般金属、实木、铝合金 / Tear-resistant and stiff polyester backing works well with oil or water, use on stainless steel surface sanding, general metal sanding, hard wood, alloys etc.

**粒度范围 Grit range**

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	○	●	○	●	●	●	●	○	○	○	○	○	○	○

● 常规供货 Available      ○ 定制 On demand



产品形态 Available product type



**1113 Y级聚酯布碳化硅 SIC Y-CLOTH ABRASIVE FOR STEEL *Coming soon***

磨料 Grain 碳化硅 / Silicon Carbide 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing Y级纯聚酯布 / Y weight polyester 植砂密度 Coating 密植砂 / Close Coated  
 处理 Treatment 表面平整处理 / Flatten  
 大卷宽度 Jumbo width 1630mm 砂带宽度 Sanding belt width 最大 up to max 1600mm

**产品特点 Application**

- 适用于宽砂带制作，基体强度较高，耐水耐油，挺度高，用于不锈钢拉丝，一般金属、铝合金、不锈钢抛光 / Highly tear-resistant and stiff polyester backing for high sanding pressure, special treatment on the surface for stainless steel surface sanding, general metal sanding, hard wood, alloys etc.

**粒度范围 Grit range**

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220	P240	P280	P320	P400
供应 Available	○	○	●	○	●	●	●	●	○	○	○	○	○	○	○

● 常规供货 Available      ○ 定制 On demand



产品形态 Available product type





## 硬金属打磨 ZIRCONIA CLOTH ABRASIVES

## 3512 Y级重聚酯布锆刚玉 ZA Y-CLOTH ABRASIVE

NEW

磨料 Grain	锆刚玉 / Zirconia Alumina	结合剂 Bonding	树脂 / Resin over Resin
基材 Backing	Y级纯聚酯布 / Y weight polyester	植砂密度 Coating	密植砂 / Close Coated
		处理 Treatment	超涂层 / Super coating

大卷宽度 Jumbo width 1400mm 砂带宽度 Sanding belt width 最大 up to max 1380mm

## 产品特点 Application

- 采用高性价比的锆刚玉磨料，配合可有效防止工件烧伤的超涂层工艺，使产品具有极高性价比，抗冲击性好，主要用于浇筑口打磨，铸铁、不锈钢板、硬木板磨削、实木地板的粗磨 / Made with Eco zirconia grain, with heat resistant top coating. A cost-effective product for high pressure grinding, for cleanup gating and fins of cast iron & alloys, hard wood, floor sanding etc.

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220
供应 Available	○	○	●	○	●	●	●	●	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



## 3527 Z级重聚酯布涂层锆刚玉 ZA Z-CLOTH ABRASIVE

NEW

磨料 Grain	锆刚玉 / Zirconia Alumina	结合剂 Bonding	树脂 / Resin over Resin
基材 Backing	Z级重纯聚酯布 / Z weight polyester	植砂密度 Coating	密植砂 / Close Coated
		处理 Treatment	超涂层 / Super coating

大卷宽度 Jumbo width 1400mm 砂带宽度 Sanding belt width 最大 up to max 1380mm

## 产品特点 Application

- 具有自锐能力的锆刚玉磨料提供持久和持续的切削力，加上冷切削超涂层工艺可有效防止工件烧伤。磨削接触面积小、磨削压强大的不锈钢工件，性价比、效率高，用于钛合金、硬质合金、高碳铬不锈钢、耐热合金钢、灰铸铁、硬青铜等的粗磨、去毛刺和倒角 / Self-sharpening Zirconia grain is good for titanium, alloys, cast iron, Inconel, non-ferrous metals, forged steel etc. A super coating for heat resistant, avoid burning and offer longer lifetime.

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220
供应 Available	○	●	●	○	●	●	●	●	○	N/A	N/A

● 常规供货 Available

○ 定制 On demand



产品形态 Available product type



## 钢纸基产品 VULCANISED FIBRE ABRASIVES

### 1216 0.8mm钢纸碳化硅 Sic-Fibre Abrasive

磨料 Grain 碳化硅 / Silicon Carbide 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing 0.8mm 钢纸 / 0.8mm Vulcanised Fibre 植砂密度 Coating 密植砂 / Close Coated  
 大卷宽度 Jumbo width 1600mm

#### 产品特点 Application

- 性价比高、磨削锋利，用于大理石、陶瓷、玻璃钢的倒角打磨 / 0.8mm fibre backing abrasive, sharp, good lifetime. suitable for stone, ceramic, glass etc. Available from jumbo roll to disc

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220
供应 Available	○	○	○	○	○	○	○	○	○	N/A	N/A

● 常规供货 Available ○ 定制 On demand



产品形态 Available product type



### 2216 0.8mm钢纸棕刚玉 AlO-Fibre Abrasive

磨料 Grain 棕刚玉 / Aluminium oxide 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing 0.8mm 钢纸 / 0.8mm Vulcanised Fibre 植砂密度 Coating 密植砂 / Close Coated  
 大卷宽度 Jumbo width 1600mm

#### 产品特点 Application

- 使用范围广、性价比高，适用于普通金属、实木家具的除锈、去毛刺和倒角打磨 / General fibre backing abrasive, good lifetime, suitable for general metal, hard wood, rusty removal etc. Available from jumbo roll to disc

粒度范围 Grit range

粒度 Grit	P16	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220
供应 Available	○	●	●	●	○	●	●	●	●	○	N/A	N/A

● 常规供货 Available ○ 定制 On demand



产品形态 Available product type



### 2218 0.8mm钢纸半脆刚玉 SFA-Fibre Abrasive

磨料 Grain 半脆刚玉 / Semi Friable Alumina 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing 0.8mm 钢纸 / 0.8mm Vulcanised Fibre 植砂密度 Coating 密植砂 / Close Coated  
 大卷宽度 Jumbo width 1600mm

#### 产品特点 Application

- 磨料锋利、磨削效率高，寿命长。适用于硬木，人造革，皮革等打磨 / Sharp and efficient grinding, long lifetime, suitable for welding sanding, rusty removal etc. Available from jumbo roll to disc

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220
供应 Available	○	○	○	○	○	○	○	○	○	N/A	N/A

● 常规供货 Available ○ 定制 On demand



产品形态 Available product type



### 3216 0.8mm钢纸锆刚玉 ZA-Fibre Abrasive

磨料 Grain 锆刚玉 / Zirconia Alumina 结合剂 Bonding 树脂 / Resin over Resin  
 基材 Backing 0.8mm 钢纸 / 0.8mm Vulcanised Fibre 植砂密度 Coating 密植砂 / Close Coated  
 大卷宽度 Jumbo width 1600mm

#### 产品特点 Application

- 磨削效率高、抗冲击性强，寿命长。适用于铝合金、不锈钢，金属、大理石，红木家具的除锈、焊接位、去毛刺和倒角打磨 / Sharp and highly efficient grinding, resistant to high pressure, long life time, suitable for alloys, stainless steel, steel, welding sanding, rusty removal etc. Available from jumbo roll to disc

粒度范围 Grit range

粒度 Grit	P24	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220
供应 Available	○	○	○	○	○	○	○	○	○	N/A	N/A

● 常规供货 Available ○ 定制 On demand



产品形态 Available product type





## 压磨垫系统 SADNING ACCESSORIES

### 快装式压磨垫 GRAPHITE SLIDING PAD

托板 Supporting board: 中密度(MDF)板 / ABS板      弹性衬垫 Elastic pad: 发泡海绵 Foam / 羊毛毡 Felt  
 润滑 Lubrication coating: HD石墨布 Graphite canvas HD


#### 压磨垫规格 Available sizes

宽 Wide: 70mm / 83mm; 长 Length: 1450~3000mm;      弹性 Type: 软 soft / 硬 hard



#### 产品特点 Application

- 厚度、密度与硬度方面形成一个统一的标准，极小的厚度公差，摩擦系数小，韧性好，耐高温、耐磨，更换迅速，适用于各类压垫式砂光机和各种平板式砂带机。客户根据自身要求可选用软或硬的压磨垫 / Sliding pad gives customers a double advantage: procurement times and costs are reduced, and the all in one sliding made sure even density, thickness all specs leads to even greater precision and consistency of the sanding process.

### 密度板托快装式压磨垫 MDF SUPPORTING SLIDING PAD



做高品质的研磨产品，让全球客户满意！  
 To make top quality coated abrasive to satisfy your needs!



# WEEM

## ABRASIVES

### 威鸣研磨



**韶关威鸣研磨材料有限公司**

**WEEM abrasives (shaoguan) Co., Ltd**

乳源县乳城镇迎宾路富源大道南侧, 512700

No.12 Fuyuan Industrial Area, Yingbin Road, Ruyuan town, Guangdong, China.

Tel: 0751-5363399; Fax: 0751-5361199

